



ST-IP30XWH

30X IR 2MP

FULL HD PTZ

Technical Specifications

Part number	St-IP30XWH
Description	Full HD IP PTZ Camera
Sensor	1/3" CMOS Sony FCB-EH6500
Sensitivity	0.038 lux (50IRE, ICR on), 0.005 lux (30IRE, ICR on)
Lens	1/3-type, f = 4.3 mm 129.0 mm
Optical zoom	30x
IR Illuminator	Varifocal, 120m, 5W
Ethernet connection	RJ 4510 /100 Base-t
Day / Night	Auto true day / night with ICR
Focusing system	Auto / Manual
White balance	Auto, ATW, Indoor, Outdoor (fix / Auto) , one-push, manual
Electronic shutter	1/1 : 1/10000 ,total 22 steps
Image setting	Brightness, contrast, saturation, hue, exposure control, AES
Horizontal range	0-360°
Vertical range	0-100°
Preset speed	400°/sec
Preset accuracy	± 0.10°
Weight & Power supply	DC 24V / 3A
Compliance	ONVIF S Profile
Power consumption	18W + 12W heater , 7.5 Kg
Operating Temperature	-20 °C to + 65 °C
Humidity	0% - 90% (Non condensing)
Protection	IP66

Video / Audio

Video compression	H.264
Picture format	1920 x 1080P, 1280 x 720P, 720 x 576P
Frame rate	25 FPS @ 1080 P
Number of streams	Dual stream
Main stream resolution	1080 @ 25 FPS PAL

System Integration

Memory	1 GBRAM, 1 GB flash
User interface	Web browser

Network

Protocols	TCP/IP, IPV4, HTTP, DHCP, RTSP, FTP, NTP, ONVIF S Profile
-----------	---



sales@sortec-eu.com



www.sortec-eu.com



1035 Budapest, Miklós utca 13.
VIII. em. 42.